



BRIEF INFORMATION BLADE FUSES

- → OEM quality in accordance with ISO, SAE, JASO and ROHS requirements
- \rightarrow Nylon housing with extended voltage rating up to 58 VDC
- → Compact packaging design for efficient transportation, storage and showcase space
- → Easy to use
- → Complete product range
- → Assortment kits which include extra pieces of most commonly used amp ratings

PRODUCT FEATURES

Blade fuses are primarily used in modern automotive electrical systems. The various fuse types include:

- 1. The large-sized MAXI blade fuse for the high-current applications (up to max. 80 A).
- 2. The very common Standard version (up to max. 40 A)
- 3. The small-sized MINI blade fuse for overload protection (up to max. 35 A)
- 4. The even smaller low-profile MINI fuse (up to max. 35 A)

Two packaging versions are available: Blister pack for the retail market and the yellow bulk packaging box.





Retail packaging

Bulk packaging

PRODUCT RANGE

| Product image / Dimensions | Part No. | Description | Content |
|-------------------------------|--|---|---------------------|
| | Technical data: | | |
| INI LP fuses | Voltage Rating | 58 VCD or less | |
| low profile) | Interrupting Rating: | 1000A @ 58 VCD | |
| | Operating Temperature Range: | -40° C a + 125° C | |
| | Complies: | JASO D612 / ISO 8820-9 / ROHS | |
| | 358129003 | MINI LP fuse, boxed, 2A: gray | Quantity: 200 piece |
| | 358129013 | MINI LP fuse, boxed, 3A: violet | Quantity: 200 piece |
| | 358129023 | MINI LP fuse, boxed, 4A: pink | Quantity: 200 piece |
| | 358129033 | MINI LP fuse, boxed, 5A: beige | Quantity: 200 piece |
| | 358129043 | MINI LP fuse, boxed, 7.5A: brown | Quantity: 200 piece |
| | 358129053 | MINI LP fuse, boxed, 10A: red | Quantity: 200 piece |
| | 358129063 | MINI LP fuse, boxed, 15A: blue | Quantity: 200 piece |
| | 358129073 | MINI LP fuse, boxed, 20A: yellow | Quantity: 200 piece |
| ast Acting | 358129083 | MINI LP fuse, boxed, 25A: white | Quantity: 200 piece |
| | 358129093 | MINI LP fuse, boxed, 30A: green | Quantity: 200 piece |
| /INI fuses | Technical data: | | |
| | Voltage Rating | 58 VCD or less | |
| | Interrupting Rating: | 1000A @ 58 VCD | |
| | Operating Temperature Range: | -40° C a + 125° C | |
| | Complies: | SAE J2077 / JASO D612 / ISO 8820-3 / ROHS | |
| | 358129103 | MINI fuse, boxed, 2A: gray | Quantity: 200 piece |
| | 358129113 | MINI fuse, boxed, 3A: violet | Quantity: 200 piece |
| | 358129123 | MINI fuse, boxed, 4A: pink | Quantity: 200 piece |
| | 358129133 | MINI fuse, boxed, 5A: beige | Quantity: 200 piece |
| | 358129143 | MINI fuse, boxed, 7.5A: brown | Quantity: 200 piece |
| | 358129153 | MINI fuse, boxed, 10A: red | Quantity: 200 piece |
| | 358129163 | MINI fuse, boxed, 15A: blue | Quantity: 200 piece |
| | 358129173 | MINI fuse, boxed, 20A: yellow | Quantity: 200 piece |
| | 358129183 | MINI fuse, boxed, 25A: white | Quantity: 200 piece |
| t Acting | 358129193 | MINI fuse, boxed, 30A: green | Quantity: 200 piece |
| | 358129203 | MINI fuse, boxed, 35A: dark green | Quantity: 200 piece |
| | Technical data: | | |
| ANDARD fuses | Voltage Rating | 58 VCD or less | |
| | Interrupting Rating: | 1000A @ 58 VCD | |
| | Operating Temperature Range: | -40° C a + 125° C | |
| | Complies: | SAE J1284 / JASOD612 / ISO 8820-3 / ROHS | |
| | 358129213 | STANDARD fuse, boxed, 1A: black | Quantity: 100 piece |
| | | STANDARD fuse, boxed, 1A: black STANDARD fuse, boxed, 2A: gray | Quantity: 100 piece |
| | 358129223 | STANDARD fuse, boxed, 3A: yiolet | Quantity: 100 piece |
| | 358129233 | | |
| | 358129243 | STANDARD fuse, boxed, 4A: pink | Quantity: 100 piece |
| | 358129253 | STANDARD fuse, boxed, 5A: beige | Quantity: 100 piece |
| | 358129263 | STANDARD fuse, boxed, 7.5A: brown | Quantity: 100 piece |
| | 358129273 | STANDARD fuse, boxed, 10A: red | Quantity: 100 piece |
| | 358129283 | STANDARD fuse, boxed, 15A: blue | Quantity: 100 piece |
| | 358129293 | STANDARD fuse, boxed, 20A: yellow | Quantity: 100 piece |
| | 358129303 | STANDARD fuse, boxed, 25A: white | Quantity: 100 piece |
| | 358129313 | STANDARD fuse, boxed, 30A: green | Quantity: 100 piece |
| | 358129323 | STANDARD fuse, boxed, 35A: dark green | Quantity: 100 piece |
| t Acting | 358129333 | STANDARD fuse, boxed, 40A: orange | Quantity: 100 piece |
| | Technical data: | | |
| XI fuses | | | |
| | Voltage Rating | 58 VCD or less | |
| | Interrupting Rating: Operating Temperature Range: | 1000A @ 58 VCD -40° C a + 125° C | |
| | Complies: | -40 C 3 + 125 C SAE J1888 / JASO D612 / ISO 8820-3 / ROHS | |
| | | | |
| | 358129343 | MAXI fuse, boxed, 20A: yellow | Quantity: 20 pieces |
| | 358129353 | MAXI fuse, boxed, 30A: green | Quantity: 20 pieces |
| | 358129363 | MAXI fuse, boxed, 40A: orange | Quantity: 20 pieces |
| | 358129373 | MAXI fuse, boxed, 50A: red | Quantity: 20 pieces |
| | 358129383 | MAXI fuse, boxed, 60A: blue | Quantity: 20 pieces |
| | 358129393 | MAXI fuse, boxed, 70A: brown | Quantity: 20 pieces |
| V | 358129403 | MAXI fuse, boxed, 80A; white | Quantity: 20 pieces |

358129403

Quantity: 20 pieces

MAXI fuse, boxed, 80A: white

Slow-blow

PRODUCT RANGE

| Product image / Dimensions | Part No. | Description | Content |
|--|-----------|--|--------------------|
| /INI LP fuses | 358129002 | MINI LP fuse, blister pack, 2A: grey | Quantity: 10 piece |
| Low profile | 358129012 | MINI LP fuse, blister pack, 3A: violet | Quantity: 10 piece |
| | 358129022 | MINI LP fuse, blister pack, 4A: pink | Quantity: 10 piece |
| | 358129032 | MINI LP fuse, blister pack, 5A: beige | Quantity: 10 piece |
| | 358129042 | MINI LP fuse, blister pack, 7.5A: brown | Quantity: 10 piece |
| | 358129052 | MINI LP fuse, blister pack, 10A: red | Quantity: 10 piece |
| Source you the source of advances war wards and a functional MINILD | 358129062 | MINI LP fuse, blister pack, 15A: blue | Quantity: 10 piece |
| | 358129072 | MINI LP fuse, blister pack, 20A: yellow | Quantity: 10 piece |
| | 358129082 | MINI LP fuse, blister pack, 25A: white | Quantity: 10 piece |
| | 358129092 | MINI LP fuse, blister pack, 30A: green | Quantity: 10 piece |
| | 358129941 | Assortment of fuses, includes: | Quantity: 10 piece |
| | | 1 piece of each fuse:: 5A, 7.5A, 25A, 30A | |
| | | 2 pieces of each fuse:: 10A, 15A, 20A | |
| MINI fuse | 358129102 | MINI fuse, blister pack, 2A: grey | Quantity: 10 piece |
| | 358129102 | MINI fuse, blister pack, 3A: violet | Quantity: 10 piece |
| | 358129122 | MINI fuse, blister pack, 3A. violet MINI fuse, blister pack, 4A: pink | Quantity: 10 piece |
| | 358129132 | MINI fuse, blister pack, 5A: beige | Quantity: 10 piece |
| | 358129142 | MINI fuse, blister pack, 7.5A: brown | Quantity: 10 piece |
| | 358129152 | MINI fuse, blister pack, 10A: red | Quantity: 10 piece |
| Links from another of the second seco | 358129162 | MINI fuse, blister pack, 15A: blue | Quantity: 10 piece |
| 10 Protection | 358129172 | MINI fuse, blister pack, 20A: yellow | Quantity: 10 piece |
| | 358129182 | MINI fuse, blister pack, 25A: white | Quantity: 10 piece |
| | 358129192 | MINI fuse, blister pack, 30A: green | Quantity: 10 piece |
| | 358129202 | MINI fuse, blister pack, 35A: dark green | Quantity: 10 piece |
| E.C.L. | 358129951 | Assortment of fuses, includes: | Quantity: 10 piece |
| | | 1 piece of each fuse:: 5A, 7.5A, 25A, 30A | |
| | | 2 pieces of each fuse:: 10A, 15A, 20A | |
| STANDARD fuse | 358129212 | STANDARD fuse, blister pack, 1A: black | Quantity: 10 piece |
| | 358129222 | STANDARD fuse, blister pack, 2A: grey | Quantity: 10 piece |
| Compared a second a s | 358129232 | STANDARD fuse, blister pack, 3A: violet | Quantity: 10 piece |
| | 358129242 | STANDARD fuse, blister pack, 4A: pink | Quantity: 10 piece |
| | 358129252 | STANDARD fuse, blister pack, 5A: beige | Quantity: 10 piece |
| | 358129262 | STANDARD fuse, blister pack, 7.5A: brown | Quantity: 10 piece |
| | 358129272 | STANDARD fuse, blister pack, 10A: red | Quantity: 10 piece |
| | 358129282 | STANDARD fuse, blister pack, 15A: blue | Quantity: 10 piece |
| | 358129292 | STANDARD fuse, blister pack, 20A: yellow | Quantity: 10 piece |
| | 358129302 | STANDARD fuse, blister pack, 25A: white | Quantity: 10 piece |
| | 358129312 | STANDARD fuse, blister pack, 30A: green | Quantity: 10 piece |
| | 358129322 | STANDARD fuse, blister pack, 35A: dark green | Quantity: 10 piece |
| | 358129332 | STANDARD fuse, blister pack, 40A: orange | Quantity: 10 piece |
| | 358129981 | Assortment of fuses, includes: | Quantity: 10 piece |
| | | 1 piece of each fuse:: 5A, 7.5A, 25A, 30A | |
| | | 2 pieces of each fuse:: 10A, 15A, 20A | |
| | | | |
| AXI fuse | 358129341 | MAXI fuse, blister pack, 20A: yellow | Quantity: 1 piece |
| | 358129351 | MAXI fuse, blister pack, 30A: green | Quantity: 1 piece |
| | 358129361 | MAXI fuse, blister pack, 40A: orange | Quantity: 1 piece |
| Rate rate | 358129371 | MAXI fuse, blister pack, 50A: red | Quantity: 1 piece |
| in and change dash hadden paints working for tracking as provided working as the change provided as the change of the change MAXI | 358129381 | MAXI fuse, blister pack, 60A: blue | Quantity: 1 piece |
| 1 Press Antes | 358129391 | MAXI fuse, blister pack, 70A: brown | Quantity: 1 piece |
| | 358129401 | MAXI fuse, blister pack, 80A: white | Quantity: 1 piece |

PRODUCT RANGE / ACCESSORIES

| Product image / Dimensions | Part No. | Description | | | |
|-------------------------------|---|--|--|--|--|
| VINI Fuse assortment | Assortment of fast acting fuses. It contains: 20 pieces of each of the following fuses: 5A, 7.5A, 10A, 15A, 20A, 25A, 30A | | | | |
| | Technical Data | | | | |
| | Voltage Rating | 58 VCD or less | | | |
| | Interrupting Rating: Operating Temperature Range: | 1000A @ 58 VCD -40° C a + 125° C | | | |
| | Complies: | SAE J2077 / JASO D612 / ISO 8820 | -3 / ROHS | | |
| | 358129961 | MINI Fuse assortment | Quantity: 140 pieces | | |
| TANDARD Fuse assortment | Assortment of fast acting fuses. It contains: 10 pieces of each of the following fuses: 5A, 7.5A, 25A, 30A 20 pieces of each of the following fuses: 10A, 15A, 20A | | | | |
| | Technical Data | | | | |
| | Voltage Rating Interrupting Rating: | 58 VCD or less 1000A @ 58 VCD | | | |
| | Operating Temperature Range: | -40° C a + 125° C | | | |
| | Complies: | SAE J1284 / JASOD612 / ISO 8820- | -3 / ROHS | | |
| | 358129991 | STANDARD fuse assortment | Quantity: 100 piece | | |
| MAXI Fuse assortment | Assortment of slow-blow fuses. It contains: 5 pieces of each of the following fuses: 70A, 80A | | | | |
| | 10 pieces of each of the following fuses: 20A, 30A, 40A, 50A, 60A | | | | |
| | Technical Data | | | | |
| | Voltage Rating | 58 VCD or less | | | |
| | Interrupting Rating: | 1000A @ 58 VCD | | | |
| | Operating Temperature Range: Complies: | | -40° C a + 125° C SAE J1888 / JASO D612 / ISO 8820-3 / ROHS | | |
| | 358129971 | MAXI fuse assortment | Quantity: 60 pieces | | |
| Fuse holder MAXI | Splash proof For MAXI fuses 8 AWG wire 32 cm in length | | | | |
| | 358129911 | MAXI Fuse holder | Quantity: 1 piece | | |
| Fuse not included | 358129902 | MAXI Fuse holder | Quantity: 5 pieces | | |
| use holder STANDARD | Splash proof For STANDARD fuses 12 AWG wire 32 cm in length | | | | |
| | 358129931 | STANDARD Fuse holder | Quantity: 1 piece | | |
| | 358129921 | STANDARD Fuse holder | Quantity: 10 piece | | |
| use Box | Bottom tap connections Splashproof fuse box, snap-fit clear plastic cover 0-Ring sealed. Max load: 20a per circuit. Fuses not included | | | | |
| | | | | | |
| | 358115881 | Fuse box - 4 terminals | | | |
| | | | | | |
| Fuses not included | 358115881 | Fuse box - 4 terminals | | | |
| | 358115881 358115901 | Fuse box - 4 terminals Fuse box - 6 terminals | | | |
| | 358115881 358115901 358115801 Side connections Splashproof Fuse Box, snap-Fit 0 0-ring Sealed. Max Load: 20A per | Fuse box - 4 terminals Fuse box - 6 terminals Fuse box - 8 terminals clear Plastic Cover circuit, Fuses not included | | | |
| | 358115881 358115901 358115801 Side connections Splashproof Fuse Box, snap-Fit (| Fuse box - 4 terminals Fuse box - 6 terminals Fuse box - 8 terminals | connection | | |
| | 358115881 358115901 358115801 Side connections Splashproof Fuse Box, snap-Fit 0 0-ring Sealed. Max Load: 20A per | Fuse box - 4 terminals Fuse box - 6 terminals Fuse box - 8 terminals clear Plastic Cover circuit, Fuses not included | | | |
| | 358115881 358115901 358115801 Side connections Splashproof Fuse Box, snap-Fit C 0-ring Sealed. Max Load: 20A per 358115891 | Fuse box - 4 terminals Fuse box - 6 terminals Fuse box - 8 terminals clear Plastic Cover • circuit, Fuses not included Fuse box - 4 terminals, lateral | connection | | |
| fuse Box | 358115881 358115901 358115801 Side connections Splashproof Fuse Box, snap-Fit C 0-ring Sealed. Max Load: 20A per 358115891 358115781 | Fuse box - 4 terminals Fuse box - 6 terminals Fuse box - 8 terminals Clear Plastic Cover recircuit, Fuses not included Fuse box - 4 terminals, lateral of Fuse box - 6 terminals, lateral of Fuse box - 6 terminals, lateral of Fuse box - 6 terminals, lateral of Fuse box - 8 terminals, lateral of | connection | | |
| use Box | 358115881 358115901 358115801 Side connections Splashproof Fuse Box, snap-Fit C 0-ring Sealed. Max Load: 20A per 358115891 358115891 358115781 358115791 16 Gang fuse box - Bottom ta Splashproof Fuse Box, snap-fit cl | Fuse box - 4 terminals Fuse box - 6 terminals Fuse box - 8 terminals Clear Plastic Cover recircuit, Fuses not included Fuse box - 4 terminals, lateral of Fuse box - 6 terminals, lateral of Fuse box - 6 terminals, lateral of Fuse box - 6 terminals, lateral of Fuse box - 8 terminals, lateral of | connection connection mounting feet | | |
| use Box | 358115881 358115901 358115801 Side connections Splashproof Fuse Box, snap-Fit C 0-ring Sealed. Max Load: 20A per 358115891 358115891 358115781 358115791 16 Gang fuse box - Bottom ta Splashproof Fuse Box, snap-fit cl | Fuse box - 4 terminals Fuse box - 6 terminals Fuse box - 8 terminals clear Plastic Cover circuit, Fuses not included Fuse box - 4 terminals, lateral of Fuse box - 4 terminals, lateral of Fuse box - 6 terminals, lateral of Fuse box - 8 terminals, lateral of ab connections ear plastic cover, 0-ring Sealed. Removable of | connection connection mounting feet t. Fuses not included | | |

HELLA Automotive Sales, Inc. 201 Kelly Drive, Peachtree City, GA, 30269 Tel.: +1 (877) 224-3552 www.hellausa.com